

# Performance based specifications and Warranty

**At issue: Life Safety, security and comfort.**

**Would your client expect that the specifications require:**

- A Manufacturer provide evidence the products will work in the field under industry allowable tolerances for warp and out-of-plumb? And still keep torque on the lever under 15 inch pounds?
- A warranty that the sealing products will also meet related inspection requirements for NFPA 80?

**ACTIVE LINK**

***View entire CSI based specifications at <http://dhsi-seal.com/specifications.htm>***

**NFPA 80:**

- Protect your client's future: Ask DHSI for a re-cap of NFPA 80 and related codes which also apply to existing as well as new construction.

**ACTIVE LINK**

***Send e-mail to DHSI requesting further information on NFPA 80 and related codes***

## DHSI "Program of Field Quality Assurance" for new and existing construction

**Would your client expect "Manufacturer's Qualifications" require:**

- A Manufacturer provide a program acceptable to the architect and owner for inspecting door and frame tolerances in the event problems occur in the closing, sealing and latching of the doors.
- The program should quantify, qualify and provide solutions.

**ACTIVE LINK**

***View the forms complete at <http://dhsi-seal.com/inspectionforms2014.htm>***

**Other products are available. Consult DHSI if you need a solution.**

- ★ DHSI: 24 hour shipments of most any size order, anywhere in the USA.  
Centralize your property standards and contacts and eliminate re-inventing the wheel in each city.

### Product Index

<b>Page #1</b>	Overview of DHSI Sealing Systems	<b>Page #9</b>	<b>#SSDB</b> Surface door bottom
<b>Page #2</b>	<b>#105</b> "Cush 'N' Seal" frame seals	<b>Page #10</b>	<b>#CS</b> Cap Sweep door bottom
<b>Page #3</b>	<b>#105-B</b> "Breakaway" and STC ratings	<b>Page #11</b>	<b>#SAS</b> "Secur-A-Seal" Security Door Bottoms
<b>Page #4</b>	<b>#SA</b> Surface and <b>#AMA</b> Mortise Astragals	<b>Page #12</b>	<b>#AMU</b> "Allowance and Means for Undercut" option
<b>Page #5</b>	<b>#CNS-PLUS</b> STC seal and <b>#MS-SA75</b> Mullion Seal	<b>Page #13</b>	<b>#DP</b> Decibel Plug and Architectural Detail info
<b>Page #6</b>	<b>#FT, CTT</b> and <b>TTT</b> Thresholds and <b>#FA/SB</b> brackets	<b>Page #14</b>	<b>#SAL</b> "Secur-A-Latch" Privacy Keeper
<b>Page #7</b>	<b>#CTC-ADJ</b> Thresholds and others	<b>Page #15</b>	<b>#SAL</b> "Secur-A-Latch" accessories
<b>Page #8</b>	<b>#AMDB3</b> Adjustable mortise door bottoms	<b>Page #16</b>	"Performance" based specifications and Warranty

**ACTIVE LINK**

***Go online for full color brochure at <http://dhsi-seal.com/brochure.htm>  
From the cover page, quickly navigate the **ACTIVE LINKS** shown.***

16

**DHSI**

**DOOR AND HARDWARE SYSTEMS, INC.**

CAT-16 08-01-16 copyright

Contact Person: Robert Rissone, President

17 Silver Street, Rochester, New York 14611 TEL (585) 235-8543 FAX (585) 235-0431  
Website: [dhsi-seal.com](http://dhsi-seal.com) e-mail: [info@dhsi-seal.com](mailto:info@dhsi-seal.com)